

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:)	
	:	Examiner: Guy J. Lamarre
YUKIO CHIBA)	
	:	Art Unit: 2133
Appln. No.: 10/642,231)	
	:	Confirmation No.: 2990
Filed: August 18, 2003)	
	:	
For: IMAGE PROCESSING)	
APPARATUS AND METHOD	:	
THEREFOR)	
	:	
U.S. Patent No.: 7,185,264 B2)	
	:	
Issued: February 27, 2007)	July 31, 2008

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

CERTIFICATE OF CORRECTION
UNDER RULE 322

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to an error which appear in the printed patent as a result of Patent and Trademark Office mistakes. A Certificate of Correction form is enclosed.

Patentee's undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

/Sugiarto Hadikusumo/
Sugiarto Hadikusumo
Attorney for Patentee
Limited Recognition No.: L0370

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200

FCHS_WS 2346502v1

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 7,185,264 B2

DATED : February 27, 2007

INVENTOR(S) : YUKIO CHIBA

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 11

Line 16, "0X00000" should read --0X000001--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,185,264 B2

No. of add'l. copies
@ 30¢ per page

